

CTL2016L

Round Back Cylinder Track Fixture

Specifications/Features

Fixture

Designed for MR16 12V LED lamps and is ideal for residential, commercial and retail lighting applications.

Compact, contemporary styling with the low voltage (12V) transformer concealed in the yoke.

The "Sure-Set" yoke design firmly holds any aiming position without unsightly knobs and provides 350° rotation.

Deep set die-cast baffle provides full cut-off to conceal lamp for visual comfort. Integral ON/OFF switch and track polarity indicator are standard.

Lamp

50W MR16 Lamp or (1) MR16 LED Lamp, GU5.3 Base

This fixture can be used with a variety of MR16 LED Lamps. However, with the variances in these lamps, ConTech Lighting cannot be responsible, nor guarantee, that all MR16 LED lamps are universally compatible.

On fixtures designed for use with MR16 lamps, ConTech Lighting provides a clear, tempered safety glass. This safety glass should only be used with open MR16 lamps, and not used with MR16 lamps that contain an integral glass lens.

Electrical

Electronic Transformer

Input: 120V / 60Hz

Output: 12V

Rated Lamp Load: 2.5W min. to 60W max.

Dimming

Dimmable to 10% with an electronic low-voltage (ELV) dimmer. Dimming performance may vary due to field conditions, including but not limited to, power quality, installation and wiring, and variations in dimmer production.

Please reference the dimmer manufacturer's instructions for dimmer installation and further information.

Warranty

This fixture is covered by ConTech's full one (1) year replacement guarantee after date of purchase.


Listing

cCSAus Certified. Suitable for dry locations.

Fixture Compatibility

Standard ConTech track fixtures are cCSAus certified as-is for use with CTL Units are compatible with ConTech Lighting LT/LT2 Single Circuit/Two Circuit Track Systems and Luxbeam Track Systems, as well as Juno^{®1} Lighting Trac-Master[™] Systems.

By changing the prefix in the part number, ConTech can install inserts which make our fixtures compatible with other manufacturers. Replace "CTL" with HTL for use with Halo³ Power-Trac and Lazer Track Systems, LTL for use with Lightolier⁴ Lytespan[®] Systems



Ordering Information

Example Order: CTL2016L — B LF16-UV

Track System

Fixture

Finish

Accessories

—

CTL - ConTech
HTL - Halo
LTL - Lightolier

2016L

B - Black

LF16 - **A, B, CL, G, LB, R, RO, Y, 73, LS, SL, UV**
Tempered glass lenses

Color/Pattern Legend

-**A** (Amber), -**B** (Blue), -**CL** (Clear), -**LB** (Light Blue), -**R** (Red), -**RO** (Rose), -**Y** (Yellow), -**73** (Spread Lens), -**LS** (Linear Spread Lens), -**SL** (Soft Light), -**UV** (Optivex UV Filter)

1. Juno is a registered trademark of Juno Lighting
2. Halo is a registered trademark of Cooper Lighting
3. Lightolier is a registered trademark of Philips Lighting