

l a m p o r d e r i n g g u i d e

Number	Description
--------	-------------

12 Volt Halogen and Xenon Lamps

20T4	20W BI-PIN GY6.35 BASE, CLEAR
20T4 AXIAL	20W BI-PIN GY6.35, AXIAL FILAMENT, CLEAR
35T4	35W BI-PIN GY6.35 BASE, CLEAR
35T4 AXIAL	35W BI-PIN GY6.35 AXIAL FILAMENT, CLEAR
3636-NSP	36W PAR36 13°, NARROW SPOT, SCREW TERMINAL
3636-VNSP	36W PAR36 5°, VERY NARROW SPOT, SCREW TERMINAL
3636-WFL	36W PAR36 32°, WIDE FLOOD SCREW TERMINAL
50100/TAL-NFL	50W 100mm MR, TAL, NFL21°, GU7
50100/TAL-VNSP	50W 100mm MR, TAL, VNSP4°, GU7
50T4	50W BI-PIN GY6.35 BASE, CLEAR
50T4 AXIAL	50W BI-PIN GY6.35, AXIAL FILAMENT, CLEAR
50T4/F	50W FROSTED 2-PIN, GY6.35 BASE, HALOGEN
50AR111-FL	50W ALUMINUM REFLECTOR 25°, FLOOD, G5.3
50AR111-NSP	50W ALUMINUM REFLECTOR 4°, VERY NARROW SPOT G5.3
50AR111-SP	50W ALUMINUM REFLECTOR 8°, NARROW SPOT, G5.3
75AR111-FL	75W ALUMINUM REFLECTOR 25° FLOOD, G5.3
75AR111-SP	75W ALUMINUM REFLECTOR 8°, NARROW SPOT, G5.3
75AR111-WFL	75W ALUMINUM REFLECTOR 45°, WIDE FLOOD, G5.3
20MR8NFL	20W MR8 NARROW FLOOD 23° FRONT GLASS
20MR8SP	20W MR8 SPOT 10° FRONT GLASS
35MR8NFL	35W MR8 NARROW FLOOD 26°, FRONT GLASS
35MR8SP	35W MR8 SPOT 13°, FRONT GLASS
FSS	20MR11 NARROW SPOT 10°, DC (DOUBLE CONTACT) BASE
FST	20MR11 NARROW FLOOD 17°, DC (DOUBLE CONTACT) BASE
FSV	20MR11 FLOOD 30°, DC (DOUBLE CONTACT) BASE
FTB	20MR11 SPOT, 10°, GZ4 BASE
FTB/FG	20MR11 SPOT, FRONT GLASS, 10°, GZ4
FTC	20MR11 NARROW FLOOD, 17°, GZ4
FTC/FG	20MR11 NARROW FLOOD, FRONT GLASS, 17°, GZ4
FTD	20MR11 FLOOD, 30°, GZ4
FTD/FG	20MR11 FLOOD, FRONT GLASS, 30°, GZ4
FTE	35MR11 SPOT 10°, GZ4
FTE/FG	35MR11 SPOT, FRONT GLASS, 10°, GZ4
FTF	35MR11 NARROW FLOOD, 20°, GZ4
FTF/FG	35MR11 NARROW FLOOD, FRT GLASS, 20°, GZ4
FTH	35MR11 FLOOD, 30°, GZ4
FTH/FG	35MR11 FLOOD, FRONT GLASS, 30°, GZ4
BAB	20MR16 FLOOD LAMP, 40°, GU5.3
BAB/CG	20MR16 FLOOD GLASS FRONT, 40°, CONSTANT COLOR™, GU5.3
ESX	20MR16 NARROW SPOT, 15°, GU5.3
FMT/FG	35MR16 SPOT, FRONT GLASS, 12°, GU5.3
FMV/FG	35MR16 MEDIUM FLOOD, FRONT GLASS, 24°, GU5.3
FMW/60/FG	35MR16 WIDE FLOOD, FRONT GLASS, 60°, GU5.3
FMW/CG	35MR16 FLOOD FRONT GLASS, 40°, GU5.3 CONSTANT COLOR™
FMW/FG	35MR16 FLOOD, FRONT GLASS, 36°
FRA/CG	35MR16 NARROW FLOOD FRT GLASS, 20°, GU5.3 CONSTANT COLOR™
EXN	50MR16 FLOOD LAMP, 40°, GU5.3
EXN/CG	50MR16 GLASS FRONT FLOOD, 40°, CONSTANT COLOR™, GU5.3
EXN/FG	50MR16 FLOOD FRONT GLASS, 36°, GU5.3
EXN/TAL	50MR16 FLOOD, 40°, TURN AND LOCK (TAL) W/ FRONT GLASS (GU7)
EXN-E	50MR16 FLOOD, 36°, GU5.3
EXT	50MR16 NARROW SPOT, 15°, GU5.3
EXT/CG	50MR16 GLASS FRONT NSP, 15°, CONSTANT COLOR™, GU5.3
EXT/FG	50MR16 NSP-FRONT GLASS, 12°, GU5.3
EXT/TAL	50MR16 NARROW SPOT, 10°, TURN AND LOCK (TAL) W/ FRONT GLASS (GU7)
EXT-E	50MR16 NARROW SPOT, 12°, GU5.3
EXZ	50MR16 NARROW FLOOD, 25°, GU5.3
EXZ/CG	50MR16 NARROW FLOOD, CONSTANT COLOR™, 25°, GU5.3
EXZ/FG	50MR16 NARROW FLOOD-FRONT GLASS, 24°, GU5.3
EXZ/TAL	50MR16 NFL, 20°, TURN AND LOCK (TAL) W/ FRONT GLASS (GU7)
EXZ-E	50MR16 NARROW FLOOD LAMP, 24°, GU5.3
BBG	75MR16 NARROW FLOOD (EYJ), 25°, GU5.3
EYC	75MR16 FLOOD LAMP, 40°, GU5.3
EYC-E	75MR16 FLOOD LAMP, 40°, GU5.3
EYF	75MR16 NARROW SPOT LAMP, 15°, GU5.3
EYF-E	75MR16 NARROW SPOT, 15°, GU5.3
FX3T3	3W XENON FESTOON LAMP CLEAR
FX3T3-F	3W XENON FESTOON LAMP FROSTED
X5T3	5W XENON G4 BI-PIN CLEAR
X5T3/F	5W XENON G4 BI-PIN FROSTED
X5T3RL	5W XENON RIGID LOOP LAMP CLEAR
X5T3RL-F	5W XENON RIGID LOOP LAMP FROSTED
X5T3W	5W XENON WEDGE BASE, CLEAR
X5T3W/F	5W XENON WEDGE BASE, FROSTED
X5T3XL	5W XENON G4 BI-PIN 2 CLEAR
X10T3W	10W XENON WEDGE BASE, CLEAR
X10T3W/F	10W XENON WEDGE BASE, FROSTED
X35T4	35W XENON GY6.35 T5 CLEAR
X35T4/F	35W XENON GY6.35 T5 FROSTED
X50T4	50W XENON GY6.35 T5 CLEAR
X50T4/F	50W XENON GY6.35 T5 FROSTED

Line Voltage G9/GU10 Lamps

25G9/CLEAR120V	25 WATT, G9 BIPIN BASE, T4 BULB, 120V, AX2Q3 FILAMENT, CLEAR FINISH
25G9/FROST120V	25 WATT, G9 BIPIN BASE, T4 BULB, 120V, AX2Q3 FILAMENT, FROSTED FINISH
40G9/CLEAR120V	40 WATT, G9 BIPIN BASE, T4 BULB, 120V, AX2Q3 FILAMENT, CLEAR FINISH
40G9/FROST120V	40 WATT, G9 BIPIN BASE, T4 BULB, 120V, AX2Q3 FILAMENT, FROSTED FINISH

Number	Description
--------	-------------

120 Volt PAR Lamps

3520-NFL	35W PAR20/CAP/NFL 120V, 30° NARROW FLOOD
5020-NFL	50W PAR20/CAP/NFL, 30°, NARROW FLOOD
5020-NSP	50W PAR20/CAP/NSP, 10°, NARROW SPOT
5030/HIR-FL	50W PAR30 HIR FLOOD 25° 120V
5030/HIR-SP	50W PAR30 HIR SPOT 9° 120V
5030LN-NFL	50W PAR30LN/CAP/NFL/30 120V, 30°, NARROW FLOOD
5030LN-NSP	50W PAR30LN/CAP/NSP/9 120V, 9°, NARROW SPOT
5030-NFL	50W PAR30/CAP/NFL/30 120V, 30°, NARROW FLOOD
5030-NSP	50W PAR30/CAP/NSP/9 120V, 9°, NARROW SPOT
5516-NFL	60W PAR16/CAP/NFL, 30°, NARROW FLOOD
5516-NSP	60W PAR16/CAP/NSP, 10°, NARROW SPOT
7516-NFL	75W PAR16/CAP/NFL, 30°, NARROW FLOOD
7516-NSP	75W PAR16/CAP/NSP, 10°, NARROW SPOT
7530-FL	75W PAR30/CAP/FL, 120V, 40° FLOOD
7530-NFL	75W PAR30/CAP/NFL, 120V, 30° NARROW FLOOD
7530-NSP	75W PAR30/CAP/NSP, 120V, 9° NARROW SPOT
7538-FL	75W PAR38, 120V, 30° FLOOD
9038-FL	90W PAR38/CAP/FL, 120V, 30° FLOOD
9038-SP	90W PAR38/CAP/SP, 120V, 12° SPOT
10038/HIR-FL	100W PAR38 HIR FLOOD 25° 120V
10038/HIR-SP	100W PAR38 HIR SPOT 10° 120V

120 Volt Quartz Halogen Lamps

150Q/DC	150W T4 HALOGEN LAMP (ETF), DC BASE
---------	-------------------------------------

120 Volt A Lamps

60A/H	60A/HAL 120V, MB19, HALOGEN
60A19-HS	60W HALF SILVER LAMP, 120V

Metal Halide Ceramic Arc Tube Lamps

22BT5/PGJ5/30	22W BT5, PGJ5 TWIST & LOCK, CMH
39BT5/PGJ5/30	39W BT5, PGJ5 TWIST & LOCK, CMH
20T4/GU6.5/30	20W GU6.5 TWIST & LOCK CMH
39T4/GU6.5/30	39W GU6.5 TWIST & LOCK CMH
2016MH-FL	20W MR16 TWIST & LOCK, 25°, NFL, CMH
2016MH-SP	20W MR16 TWIST & LOCK, 12°, SPOT, CMH
2020MH-FL	20W PAR20 FLOOD, CMH
2020MH-SP	20W PAR20 SPOT, CMH
2030MH-NFL	20W PAR30 NARROW FLOOD, CMH
2030MH-NSP	20W PAR30 NARROW SPOT, CMH
2030MH-SP	20W PAR30 SPOT, CMH
20T4/GU6.5/30	20W T4 TWIST & LOCK, CMH
20T4.5/G12/30	20W T/U/830/G12, CMH
20TC/G8.5/30	20W T4.5 CMH
3916MH-SP	39W MR16 TWIST & LOCK, SPOT, CMH
3916MH-FL	39W MR16 TWIST & LOCK, FLOOD, CMH
3916MH-WFL	39W MR16 TWIST & LOCK, WIDE FLOOD, CMH
39T6/G12/30	39W T6, G12, CLEAR UNIVERSAL, CMH
39TC/G8.5/30	39W T4.5, G8.5, CLEAR UNIVERSAL, CMH
3520MH-FL	39W PAR20 FLOOD, 30°, CMH
3520MH-SP	39W PAR20 SPOT, 10°, CMH
3530MH-FL	39W PAR30 LN FLOOD, 30°, CMH
3530MH-SP	39W PAR30 LN SPOT, 10°, CMH
5017MH-U	50W ED-17P CLEAR UNIVERSAL, CMH, PROTECTED
5017MH-C-U	50W E-17 COATED UNIVERSAL, CMH, PROTECTED
7017MH-C-U	70W ED-17P, COATED, UNIVERSAL, CMH, PROTECTED
7030MH-FL	70W PAR30 LN FLOOD, 40°, CMH
7030MH-SP	70W PAR30 LN SPOT, 10°, CMH
70T6/G12/30	70W T6, G12, CLEAR UNIVERSAL, CMH
70TC/G8.5/30	70W T4.5, G8.5, CLEAR UNIVERSAL, CMH
7038MH-FL	70W PAR38 FLOOD, 25°, CMH
7038MH-SP	70W PAR38 SPOT, 15°, CMH
7038MH-WFL	70W PAR38 WFL, 60°, CMH
70DEM/30	70W T6, R7S, RSC, CLEAR, CMH
10017MH-C-U	100W ED-17P, COATED, UNIVERSAL, CMH, PROTECTED
10038MH-FL	100W PAR38 FLOOD, 25°, CMH
10038MH-SP	100W PAR38 SPOT, 15°, CMH

Compact Fluorescent Lamps

18T5/30	18W RS 1250 LUMENS, 3000K
18T5/35	18W RS 1250 LUMENS, 3500K
27T5/30	24/27W RS, 1800 LUMENS, 3000K
27T5/35	24/27W RS, 1800 LUMENS, 3500K
38DD/27	38 W 2D" COMPACT FL., 2850 LUMENS, 2700K
38DD/35	38 W 2D" COMPACT FL., 2850 LUMENS, 3500K
39T5/30	36/39W RS, 2850 LUMENS, 3000K
39T5/35	36/39W RS, 2850 LUMENS, 3500K
40T5/30	40W RS, 3150 LUMENS, 3000K
40T5/35	40W RS, 3150 LUMENS, 3500K
55T5/30	50/55W RS 4800 LUMENS, 3000K
55T5/35	50/55W RS 4800 LUMENS, 3500K
PL26T/27	26W 4-PIN TTT TRIPLE 2700K, T4, GX24Q-3
PL26T/30	26W 4-PIN TTT TRIPLE 3000K, T4, GX24Q-3
PL26T/35	26W 4-PIN TTT TRIPLE 3500K, T4, GX24Q-3
PL32T/27	32W 4-PIN TTT TRIPLE 2700K, T4, GX24Q-3
PL32T/30	32W 4-PIN TTT TRIPLE 3000K, T4, GX24Q-3
PL32T/35	32W 4-PIN TTT TRIPLE 3500K, T4, GX24Q-3
PL42T/30	42W 4-PIN TTT TRIPLE 3000K, T4, GX24Q-4
PL42T/35	42W 4-PIN TTT TRIPLE 3500K, T4, GX24Q-4

l a m p o r d e r i n g g u i d e

Number	Description
--------	-------------

AR111 LED Modules

10LEDAR25C-B	10W AR111 LED LAMP MODULE, BLACK FINISH, 25°, 6000°K
10LEDAR25C-P	10W AR111 LED LAMP MODULE, WHITE FINISH, 25°, 6000°K
10LEDAR25C-S	10W AR111 LED LAMP MODULE, SILVER FINISH, 25°, 6000°K
10LEDAR25N-B	10W AR111 LED LAMP MODULE, BLACK FINISH, 25°, 4000°K
10LEDAR25N-P	10W AR111 LED LAMP MODULE, WHITE FINISH, 25°, 4000°K
10LEDAR25N-S	10W AR111 LED LAMP MODULE, SILVER FINISH, 25°, 4000°K
10LEDAR25W-B	10W AR111 LED LAMP MODULE, BLACK FINISH, 25°, 3000°K
10LEDAR25W-P	10W AR111 LED LAMP MODULE, WHITE FINISH, 25°, 3000°K
10LEDAR25W-S	10W AR111 LED LAMP MODULE, SILVER FINISH, 25°, 3000°K
10LEDAR40C-B	10W AR111 LED LAMP MODULE, BLACK FINISH, 40°, 6000°K
10LEDAR40C-P	10W AR111 LED LAMP MODULE, WHITE FINISH, 40°, 6000°K
10LEDAR40C-S	10W AR111 LED LAMP MODULE, SILVER FINISH, 40°, 6000°K
10LEDAR40N-B	10W AR111 LED LAMP MODULE, BLACK FINISH, 40°, 4000°K
10LEDAR40N-P	10W AR111 LED LAMP MODULE, WHITE FINISH, 40°, 4000°K
10LEDAR40N-S	10W AR111 LED LAMP MODULE, SILVER FINISH, 40°, 4000°K
10LEDAR40W-B	10W AR111 LED LAMP MODULE, BLACK FINISH, 40°, 3000°K
10LEDAR40W-P	10W AR111 LED LAMP MODULE, WHITE FINISH, 40°, 3000°K
10LEDAR40W-S	10W AR111 LED LAMP MODULE, SILVER FINISH, 40°, 3000°K