


**PROJECT TYPE** DATE

# LT SERIES | Single and Two-Circuit Line Voltage Track: Luminaire Adapters

QTY

QTY

### LOW VOLTAGE ADAPTERS



#### LA1816 Series

12V Low Voltage Mono-Point Adapters

B - Black

P - White



#### **LA1004LV Series**

Low Voltage Sloped Ceiling Adapter For Low Voltage Luminaires or Extensions when Track is mounted to sloped ceiling. Use with Low Voltage Transformers (LA2050N, LA2075N) or Low Voltage Mono-Point Adapters (LA1816, LA-18160).

#### LA1816

120V/12V LV Mono-Point with Built-in Solid State Transformer; use in place of LA2050N or LA2075N

#### LA1816 277V

277V/12V LV Mono-Point with Built-in Solid State Transformer

#### LA-18160

LV Mono-Point without Transformer; use with Remote Transformers only




# LA1004LV

Low Voltage Sloped Ceiling Adapter

B - Black


P - White

OTY



#### **LA20 Series**

<sub>1-5/8"</sub> Low Voltage Transformers 120V/12V Track mounted Solid State **Electronic Transformer** 



# **LA10 Series**

Low Voltage Luminaire Extensions

For Low Voltage Luminaires using Low Voltage Transformers (LA2050N, LA2075N) or Low Voltage Mono-Point Adapters (LA1816, LA-18160).

Max Stem Length: 48 Inches

20-50W 120V/12V LV Transformer Not available in Silver (S) Finish

## LA2075N

20-75W 120V/12V LV Transformer

## LA2050NL

1-60W 120V/12V LV Transformer

B - Black

P - White

S - Silver

**LA1012LV** 

12 In. Extension; 15-1/2 In. Total Length

P - White

QTY



# **LA-118LV Series**

Adjustable Bracket with Clamp Includes 5 foot Coiled Cord with Track Connector. 2-1/2 Inch max. thickness of flat surface for clamp.

**LA-118LV** 

12V LV Adjustable Bracket; Requires LA2050N or LA2075N Transformer

B - Black P - White


QTY



**PROJECT TYPE** DATE

# LT SERIES | Single and Two-Circuit Line Voltage Track: Luminaire Adapters

# LINE VOLTAGE ADAPTERS



#### **LA-18 Series**


Mono-Point Adapter

For 120V Line Voltage Track Heads. Mounts Track Head to Outlet Box.

For a 277V Mono-Point, the Adapter must be permanently attached to the luminaire at the factory. Add suffix "-MP27" to the luminaire item number when ordering.

> P - White S - Silver

May not apply to all luminaires, consult factory for details.




#### LA1004 Series

Sloped Ceiling Adapter

For 120V Line Voltage Track Heads or Extensions when Track or Mono-Point Adapter is mounted to a sloped ceiling.


B - Black LA1004 OTY 120V Sloped Ceiling Adapter P - White B - Black QTY LA-18



120V Mono-Point

#### **LA10 Series**

Luminaire Extensions For 120V Line Voltage Track Heads. Length Max Stem Length: 48 Inches



#### LA-22 Series

Weighted Base Adapter

For 120V Line Voltage Track Heads. Mounts one (1) Line Voltage Track Head. 66 Inch long Grounded Cord.

LA-22

120V Weighted Base Adapter

B - Black P - White

QTY

### LA1012

12 In. Extension; 14-1/4 In. Total Length

#### LA1018

18 In. Extension; 20-1/4 In. Total Length

#### LA1024

24 In. Extension; 26-1/4 In. Total Length

#### LA1036

36 In. Extension; 38-1/4 In. Total Length

#### LA1048


48 In. Extension; 50-1/4 In. Total Length

B - Black

QTY

P - White

S - Silver



### LA-21 Series

Duo-Point Adapter

For 120V Line Voltage Track Heads. Accepts two (2) Line Voltage Track Heads to mount to single Outlet Box.

LA-21 120V Duo-Point Adapter B - Black

P - White

QTY



**PROJECT TYPE** DATE

# LT SERIES | Single and Two-Circuit Line Voltage Track: Luminaire Adapters

### LINE VOLTAGE ADAPTERS

### **Track Adapters**

Standard ConTech CTL Units are compatible with ConTech Lighting LT/LT2 Single Circuit/Two Circuit and Luxbeam Track Systems, as well as Juno<sup>®1</sup> Lighting Trac-Master™ Systems.


By changing the prefix in the part number, ConTech can install inserts which make the Luminaires compatible with other manufacturers' Track Systems.

Replace "CTL" with "HTL" for units to be made compatible with Halo<sup>2</sup> Power-Trac and Lazer Track Systems.

Replace "CTL" with "LTL" for units to be made compatible with Lightolier<sup>3</sup> Lytespan® Systems.

For more information, consult factory.

5-1/8"



Line Voltage Track Adapter for Quick Release (QR) Luminaires Connect Quick Release (QR) Series Luminaires and Pendants to Line Voltage Track.

# **CRS-LVTQR**

120V Line Voltage QR Track Adapter; Silver Finish Only

# B - Black P - White

OTY

#### S - Silver

# 1-5/8" LA2050HYSM Series 1-3/8"

Horizontal Line Voltage Track Adapter for Low Voltage Symphony Luminaires

Horizontal Line Voltage Adapter. 120V - 12V Track mounted Solid State Electronic Transformer.

For use with Symphony Low Voltage Luminaires only.

# **CRS-LVTORL**

For QR Series Luminaires utilizing Low Wattage LED Lamps

#### LA2050HSYM

120V - 12V Horizontal Adapter

B - Black

P - White

OTY

QTY

S - Silver

#### LIR59875 Series

Odyssey Line Voltage Flexible Track

Connect ConTech CTL Series Track Luminaires to Odyssey Flexible Track System.

10 Pound weight capacity.



#### LA2050VYSM Series

Vertical Line Voltage Track Adapter for Low Voltage Symphony Luminaires

Vertical Line Voltage Adapter. 120V - 12V Track mounted Solid State Electronic Transformer.

For use with Symphony Low Voltage Luminaires only.

LIR59875

120V Odyssey Track Adapter

S - Silver

OTY

### LA2050VSYM

120V - 12V Vertical Adapter

B - Black

P - White

S - Silver

Juno is a registered trademark of Juno Lighting

2. Halo is a registered trademark of Cooper Lighting 3. Lightolier is a registered trademark of Philips Lighting



DATE PROJECT TYPE

# LT SERIES | Single and Two-Circuit Line Voltage Track: Luminaire Adapters

# LINE VOLTAGE ADAPTERS



# LA-117 Series

Utility Hook

Non-electrical; 10 pound capacity.

**NOT UL LISTED.** 



**B** - Black

P - White

QTY



# LA-118 Series

Coiled Cord with Track Adapter on Adjustable Bracket

Includes 5 foot Coiled Cord with Track Connector. 2-1/2 Inch max. thickness of flat surface for clamp.

LA-118

120V Line Voltage Adjustable Bracket

**B** - Black **P** - White QTY



#### LA-16 Series<sup>4</sup>

Grounded Outlet

Integral On/Off Switch and Track Polarity Indicator. 5A Max. capacity.

**NOT UL LISTED.** 

#### LA-118RP Series

Line Voltage Mono-Point Bracket with Adjustable Clamp

8 Foot Coiled Cord and 3-Wire Grounded Plug. 2-1/2 Inch max. thickness of Flat Surface or Pipe for Clamp.

**LA-16**Grounded Outlet


**B** - Black **P** - White QTY

4. Track Systems are not allowed to have a convenience receptacle due to a requirement in the National Electrical Code. Article 410.101 (a) states that a "Lighting track fitting shall not be equipped with general purpose receptacles." This requirement in the NEC makes the LA-16 fitting un-listable by UL.



120V Line Voltage Mono-Point Bracket with Adjustable Clamp


**B** - Black **P** - White QTY



## LA-17 Series

Pendant Fixture Adapter: Chain or Cord Integral On/Off Switch and Track Polarity Indicator. 10 Lb. capacity.

Cord Option is **NOT UL LISTED** unless supplied with RLM Series luminaires.



## LA1019 Series

Line Voltage Track Luminaire Extension with Adjustable Clamp

Bracket with 19 Inch long extension and 12 foot Grounded Cord/Plug. 2-1/2 Inch max. thickness of Flat Surface for Clamp.

LA-17

Chain Adapter

Cilali i Auap

LA-17A

Cord Adapter

LA-17C

Cord Adapter for Luminaires with 18-3 SJT Cable

LA1019

OTY

120V Line Voltage Adjustable Bracket with 19 Inch long extension

**B** - Black

**P** - White

QTY

**B** - Black

P - White